

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

Claims 1-17 (withdrawn)

Claim 18 (currently amended): A **symmetrical co-extruded** film comprising two outer layers **and a middle layer, said outer layers comprising** ~~of~~ amorphous or semi-crystalline polyester obtained from the condensation of a diacid component comprising terephthalic acid with ethylene glycol and a diol component comprising at least three carbon atoms, and ~~a~~ **said** middle layer ~~of comprising~~ polyolefin, and further comprising a plane of symmetry which is parallel to said film, said symmetry applying both to the geometry and to the composition of said film, said film being for wrapping objects and being capable of substantially retaining its shape.

Claim 19 (previously presented): Film according to Claim 18, wherein the polyester is amorphous.

Claim 20 (previously presented): Film according to Claim 19, wherein the sum of the mass of the layers comprising the polyester comprises at least 20% by weight of the mass of the film.

Claim 21 (currently amended): **A symmetrical co-extruded film** ~~Film according to Claim 20,~~ comprising at least three layers, two of which comprise outer layers comprising at least ~~the~~ **amorphous or semi-crystalline** polyester **obtained from condensation of a diacid component comprising terephthalic acid with ethylene glycol and a diol component comprising at least three carbon atoms,** and one of which comprises a middle layer comprising at least one polyolefin, **wherein the mass of the layers comprising the polyester comprises at least 20% by weight of the mass of the film.**

Claim 22 (previously presented): Film according to Claim 21, wherein the sum of the mass of the three layers comprises at least 80% of the total mass of the film and each of said three layers comprises at least 10% by weight of the total mass of the film.

Claim 23 (previously presented): Film according to Claim 22, wherein the middle layer comprises at least 60% of an ethylene polymer.

Claim 24 (previously presented): Film according to Claim 21, wherein the middle layer comprises 40 to 80% by weight of the mass of the film.

Claim 25 (previously presented): Film according to Claim 18, wherein the diol is cyclohexanedimethanol.

Claim 26 (previously presented): Film according to Claim 25, wherein the diacid component of the polyester comprises 70 to 100 mol% of terephthalic acid and 0 to 30 mol% of another acid chosen from isophthalic acid, naphthalenedicarboxylic acid and 1,4-cyclohexanedicarboxylic acid or mixtures thereof, and the diol component of the polyester comprises 2 to 99 mol% of 1,4-cyclohexanedimethanol and from 1 to 98 mol% of ethylene glycol.

Claim 27 (previously presented): Film according to Claim 26, wherein the diacid component of the polyester comprises 80 to 100 mol% of terephthalic acid and 0 to 20 mol% of isophthalic acid, and the diol component of the polyester comprises 25 to 40 mol% of 1,4-cyclohexanedimethanol and from 75 to 60 mol% of ethylene glycol.

Claim 28 (previously presented): Film according to Claim 18, further comprising at least one antiblocking agent and/or at least one antistatic agent and/or at least one release agent.

Claim 29 (previously presented): Film according to Claim 18, wherein the film has undergone printing and/or metallization.

Claim 30 (previously presented): Film according to Claim 18, having a thickness of from 10 to 60  $\mu\text{m}$ .

Claims 31-39 (withdrawn)